



2024 Toyota Tundra Hybrid (JC5DBT)

4x4 CrewMax 5.50' box 145.7" WB Limited (A10)

Prepared For: UNITESTA





Selected Options

Vehicle Pricing	MSRP
Base Price	\$ 73,350.00
Options and Colors	\$ 13,560.00
Destination Charge	\$ 1,930.00

Select	Option Code	Description	MSRP
Packages			
	Т	Tundra hybrid TRD pro package	\$13,560.00
		Includes TRD PRO stamped tailgate, TOYOTA passenger-side dash panel	
		badging, TRD Pro heritage TOYOTA grille with LED light bar, technical	
		camouflage exterior accents and TRD Pro logo with technical camo pattern	
		inserts on front seats. Removes active front spoiler and active grille shutters.	
		 <u>Contains:</u> [EXHAU] black dual exhaust w/TRD logo 	
		• [SKID] TRD skid plate	
		• [XPLY] Xply armor	
		 Includes high-strength engine, fuel tank and transfer case undercovers. 	
		[HDLMP] smoked headlamps & foglamps	
		[DAC] Downhill Assist Control (DAC)	
		[TERR] multi-terrain select	
		 [NONWL2] 18" TRD pro black forged BBS wheels 	
		• [NONTR2] P285/65R18 tires	
		• [STABIL] TRD pro front stabilizer bar	
		• [TRDSUS] TRD pro off-road suspension	
		 Includes 1.1" front lift, 2.5" FOX internal bypass coil-overs and rear 	
		remote-reservoir shocks.	
		[MULTI] multi terrain view monitor	
		• [AMBER] exterior amber marker lights	
		• [CRWL] crawl control (CRAWL)	
		• [HSTR] TRD heated steering wheel	
		• [TRDHD] TRD pro hood badge	
		• [AUTOHL] auto leveling headlamp system	

UNITESTA, spol. s r.o. Toužimská 778/B1 , 199 00 Praha 9 , Letňany



Select	Option Code	Description	MSRP
Packages			
		 [LOCK] locking rear differential [NONRD] Toyota Multimedia with JBL Includes 14" display, Service/Safety Connect (up to 10-year trial), Remote Connect (3-year trial), Drive Connect (3-year trial), HD Radio, Bluetooth capability, wireless Android Auto compatibility, wireless Apple CarPlay compatibility, 12-speaker JBL audio system, SiriusXM audio, USB input/charging port and Toyota Assistant. 	
Powertrai	n		
	STDEN	3.5L twin turbo V6 hybrid i-FORCE MAX engine • Includes intercooler.	\$0.00
 Image: A start of the start of	STDTN	10-speed direct shift automatic transmission	Standard
 Image: A start of the start of	STDAX	3.31 axle ratio	Standard
 Image: A start of the start of	STDGV	3,455 kgs (7,617 lbs) GVWR	Standard
Wheels &	Tires		
 Image: A start of the start of	NONTR2	P285/65R18 tires	Included
 	NONWL2	18" TRD pro black forged BBS wheels	Included
Seats & Se	eat Trim		
	STDST	 heated and ventilated front bucket seats Includes driver seat memory system, 8-way power adjustable driver and passenger seats and 2-way power adjustable driver and passenger lumbar support. 	Standard
~	STDTM	SofTex seat trim	Standard
Other Opti	ions		
	TRDSUS	 TRD pro off-road suspension Includes 1.1" front lift, 2.5" FOX internal bypass coil-overs and rear remote-reservoir shocks. 	Included

UNITESTA, spol. s r.o. Toužimská 778/B1 , 199 00 Praha 9 , Letňany



Select	Option Code	Description	MSRP
Other Options	5		
	NONRD P	 Toyota Multimedia with JBL Includes 14" display, Service/Safety Connect (up to 10-year trial), Remote Connect (3-year trial), Drive Connect (3-year trial), HD Radio, Bluetooth capability, wireless Android Auto compatibility, wireless Apple CarPlay compatibility, 12-speaker JBL audio system, SiriusXM audio, USB input/charging port and Toyota Assistant. 	Included
Paint Applica	tion		
	PAINT	monotone paint application	Standard
Interior Color	S		
	В	Black	\$0.00
Primary Colo	rs		
 Image: A start of the start of	04Z0	Terra	\$0.00

UNITESTA, spol. s r.o. Toužimská 778/B1 , 199 00 Praha 9 , Letňany



Standard Equipment

Exterior and Appearance
20 x 8-inch front and rear machined w/painted accents aluminum wheels
P265/60RH20 AS BSW front and rear tires
First and second-row sliding and tilting glass sunroof with express open/close activation power sunshade
Active grille shutters
Trailer brake controller
Trailer sway control
Class IV tow rating
Trailer hitch
Trailer wiring harness
Trailer towing capability
Pickup bed rail system
Pickup bed-rail protectors
Standard composite style pickup box
4 doors
Full-size spare tire with steel wheel
Body-colored front bumper
Body-colored rear bumper
Rear bumper step
Metal-look grille with chrome surround
Exterior Specs
Towing capacity: 5,067 kg
GVWR: 3,455 kg
Standard curb weight: 2725 kg

UNITESTA, spol. s r.o. Toužimská 778/B1 , 199 00 Praha 9 , Letňany



Exterior Specs
Standard payload: 730 kg
Cargo box length: 1677mm
Cargo box length feet: 5.5
Approach angle: 21
Departure angle: 24
Front track: 1733mm
Max ground clearance: 282mm
Rear track: 1735mm
Vehicle body height: 1984mm
Vehicle body length: 5932mm
Vehicle body width: 2032mm
Wheelbase: 3701mm
Convenience
Built-in virtual assistant
Qi Wireless Charging front wireless smart device charging
Smart Key with hands-free access and push button start
Smart device and keyfob engine start control
Auto-locking doors
Power rear windshield
All-in-one remote fob and ignition key
Power door locks with 2 stage unlocking
Keyfob activated door locks
Power tailgate/rear door lock
Power first-row windows
Power second-row windows

UNITESTA, spol. s r.o. Toužimská 778/B1 , 199 00 Praha 9 , Letňany



Convenience
Battery charge warning
Driver information center
Electric power/regeneration gage
Traction battery level gage
1 120V AC power outlet
1 12V power outlet
Full gage cluster screen
Dynamic Radar Cruise Control (DRCC)
Cruise control with steering wheel mounted controls
Easy lift tailgate
Easy lower tailgate
Memory settings include: door mirrors
Tailgate
Conventional rear passenger doors
Front beverage holders
Rear beverage holders
10 beverage holders
Day/Night rearview mirror
Auto-dimming rear view mirror
Heated, power folding, auto-dimming door mirrors with turn signal indicator and tilt down in reverse
Full floor console
Covered floor console storage
Mini overhead console with storage
Over the air updates
HomeLink garage door opener

UNITESTA, spol. s r.o. Toužimská 778/B1 , 199 00 Praha 9 , Letňany



Technology and Telematics
Safety Connect w/up to 10-year trial vehicle integrated emergency SOS system
Bluetooth handsfree wireless device connectivity
Real-time traffic
Smart device wireless mirroring
Real-time weather
5 USB ports
Integrated navigation system with voice activation
Turn-by-turn navigation system
Fuel Economy and Emissions
Fuel economy (city/highway/combined): 12.7 L/100 km/10.5 L/100 km/11.7 L/100 km
Fuel economy city: 12.7 L/100 km
Fuel economy combined: 11.7 L/100 km
Fuel economy highway: 10.5 L/100 km
Gasoline fuel type
Original Warranty
Basic warranty: 36 month/60,000 km
Powertrain warranty: 60 month/100,000 km
Traction battery warranty: 120 month/240000 km
Hybrid/electric components warranty: 96 month/160000 km
Corrosion perforation warranty: 60 month/unlimited
Roadside warranty: 36 month/unlimited
In-car Entertainment
Primary monitor touchscreen
14 inch primary display
Number of 1st row display screens: 2

UNITESTA, spol. s r.o. Toužimská 778/B1 , 199 00 Praha 9 , Letňany



In-car Entertainment
Bluetooth wireless audio streaming
Voice activated audio controls
Speed sensitive volume
9 speakers
AM FM Digital SiriusXM Satellite radio
3 month satellite trial subscription
Comfort
Heated front seats
Center front seat armrest
Front seats with 8-way directional controls
Power driver seat with: recline, lumbar support, cushion tilt, fore/aft control and height adjustable control
Power passenger seat with: recline, lumbar support, cushion tilt, fore/aft control and height adjustable control
Bucket front seats
Front seats with power 2-way lumbar
Leather/metal-look steering wheel with mounted audio controls
Heated manual tilt and telescopic steering wheel
Fixed, front facing, 60-40 folding, split-bench rear seats with fold-up cushion
3 memory settings
Center rear armrest
Seating capacity: 5
Safety and Security
Rear mounted camera
Lane Tracing Assist (LTA) hands-on cruise control
Vehicle Sway Warning driver attention alert
Pre-Collision System (PCS) forward collision mitigation with left turn assist

UNITESTA, spol. s r.o. Toužimská 778/B1 , 199 00 Praha 9 , Letňany



Safety and Security
Pre-Collision System with Pedestrian Detection
Blind Spot Monitor (BSM)
Lane Departure Alert (LDA) w/Steering Assist
Rear Cross Traffic Alert (RCTA) collision warning
Brake assist features: predictive brake assist system, hill start assist and automatic brake hold
External acoustic pedestrian alert
Level 2 - partial automation SAE Autonomy
8 airbags
Airbags: driver and passenger front impact and seat mounted side impact, driver and passenger side knee airbag, curtain first and second-row overhead and occupancy sensor
Front and rear parking sensors
LED brake lights
Heated windshield wiper park
Pickup box cargo light
4-wheel disc brakes
Brake Assist (BA) predictive brake assist system
Immobilizer
Vehicle tracker
Security system
Remote panic alarm
Manual rear child safety door locks
Front height adjustable seatbelts
Front seatbelt pretensioners
Rear seat center 3-point seatbelt
Gage cluster display size: 12.30 inches

UNITESTA, spol. s r.o. Toužimská 778/B1 , 199 00 Praha 9 , Letňany



Safety and Security
Configurable instrumentation gauges
Digital/analog instrumentation display
Tire Pressure Monitor System (TPMS) tire specific low air pressure warning
2 seatbelt pre-tensioners
Powertrain and Mechanical
I-FORCE MAX 3.5L V-6 port/direct injection, DOHC, variable valve control, twin turbo, engine with 437HP
Twin turbo
Horsepower: 437 HP @ 5200 RPM
Torque: 791.5 Nm @ 2400 RPM
Front mounted engine
10-speed automatic transmission with overdrive, selectable modes and sequential shift control
Number of electric motors: 1
Cell traction battery: 240
Electric motor output: 48 HP
Electric motor output: 184 ftlbs
HEV (hybrid electric vehicle)
Hybrid
Traction battery gross capacity: 1.9 kWh
Traction battery type: nickel metal hydride (NiMH)
V traction battery: 288
Electric motor 1 location: front
4WDemand part-time 4WD
All-speed ABS and driveline traction control
Electronic transfer case shift
Front anti-roll bar

UNITESTA, spol. s r.o. Toužimská 778/B1 , 199 00 Praha 9 , Letňany



Electronic parking brake Regenerative brakes Reck-pinion speed sensitive power steering Auto stop-start engine icuel tank capacity: 122.0 litres Recommended Fuel Type: regular unleaded Drive Mode Select driver selectable drivetrain mode Brake actuated limited slip differential Reake actuated limited slip differential Reake actuated steel single exhaust Interior Specs Head room first-row: 1042mm Head room first-row: 1047mm Leg room first-row: 1057mm Select room first-row: 1651mm	
Regenerative brakes Regenerative brakes Rec-pinion speed sensitive power steering Ruto stop-start engine Ruto stop-start engine Recommended Fuel Type: regular unleaded Prive Mode Select driver selectable drivetrain mode Reactuated limited slip differential Retainless steel single exhaust Retainless steel single exhaust Retain com first-row: 1042mm Reg room first-row: 1047mm Reg room first-row: 1057mm Retainless Ret	Powertrain and Mechanical
kack-pinion speed sensitive power steering Auto stop-start engine Fuel tank capacity: 122.0 litres Auto acpacity:	Electronic parking brake
Auto stop-start engine iuel tank capacity: 122.0 litres Recommended Fuel Type: regular unleaded Drive Mode Select driver selectable drivetrain mode Brake actuated limited slip differential Stainless steel single exhaust Interior Specs Head room first-row: 1042mm Head room second-row: 978mm Leg room first-row: 1047mm Leg room first-row: 1057mm Shoulder room first-row: 1651mm	Regenerative brakes
iuel tank capacity: 122.0 litres Recommended Fuel Type: regular unleaded Drive Mode Select driver selectable drivetrain mode Brake actuated limited slip differential Stainless steel single exhaust Interior Specs Head room first-row: 1042mm Head room second-row: 978mm Leg room first-row: 1047mm Leg room first-row: 1057mm	Rack-pinion speed sensitive power steering
Recommended Fuel Type: regular unleaded Prive Mode Select driver selectable drivetrain mode Brake actuated limited slip differential Brake actuated limit	Auto stop-start engine
Drive Mode Select driver selectable drivetrain mode Brake actuated limited slip differential Stainless steel single exhaust Interior Specs Head room first-row: 1042mm Head room second-row: 978mm Leg room first-row: 1047mm Leg room second-row: 1057mm	Fuel tank capacity: 122.0 litres
Brake actuated limited slip differential Stainless steel single exhaust Interior Specs Head room first-row: 1042mm Head room second-row: 978mm Leg room first-row: 1047mm Leg room second-row: 1057mm	Recommended Fuel Type: regular unleaded
Stainless steel single exhaust Interior Specs Head room first-row: 1042mm Head room second-row: 978mm Leg room first-row: 1047mm Leg room second-row: 1057mm Shoulder room first-row: 1651mm	Drive Mode Select driver selectable drivetrain mode
nterior Specs Head room first-row: 1042mm Head room second-row: 978mm Leg room first-row: 1047mm Leg room second-row: 1057mm Shoulder room first-row: 1651mm	Brake actuated limited slip differential
Head room first-row: 1042mm Head room second-row: 978mm Leg room first-row: 1047mm Leg room second-row: 1057mm Shoulder room first-row: 1651mm	Stainless steel single exhaust
Head room second-row: 978mm Leg room first-row: 1047mm Leg room second-row: 1057mm Shoulder room first-row: 1651mm	Interior Specs
eg room first-row: 1047mm eg room second-row: 1057mm Shoulder room first-row: 1651mm	Head room first-row: 1042mm
eg room second-row: 1057mm Shoulder room first-row: 1651mm	Head room second-row: 978mm
Shoulder room first-row: 1651mm	Leg room first-row: 1047mm
	Leg room second-row: 1057mm
Shoulder room second-row: 1585mm	Shoulder room first-row: 1651mm
	Shoulder room second-row: 1585mm

UNITESTA, spol. s r.o. Toužimská 778/B1 , 199 00 Praha 9 , Letňany



Quote

Vehicle Pricing	
	MSRP
Base Price	\$ 73,350.00
Options and Colors	\$ 13,560.00
Destination Charge	\$ 1,930.00
x 1 vehicles	\$ 88,840.00
Grand Total	\$ 88,840.00

Quote Accepted By:

Signature

Date

UNITESTA, spol. s r.o. Toužimská 778/B1 , 199 00 Praha 9 , Letňany



Payload		Trailer			Hitch	
Number of Occupants: 1	150 lbs	Type of Trailer:		0 lbs	Factory Installed	
Cargo:	0 lbs	Trailer cargo Weight:		0 lbs	Type: Class 4	lbs
Total Payload:	150 lbs	Total Trailer Weight:		0 lbs		
Gross Vehicle Weight / Gross Combined	d Weight					
Curb Weight (As-configured)			27:	25 lbs		
Total Payload			1	50 lbs		
Tongue Weight (15% Total Trailer Weight)				0 lbs		
GVW (Curb Weight + Total Payload + Tongu	ıe Weight + Hitch We	ight)	287	75 lbs		
GCW (Adjusted GVW + Total Trailer Weight) *Adjusted GVW subtracts tongue weight)					
Gross Vehicle Weight Rating (GVWR)			Gross C	ombined Weight Rating (GCWR)		
Manufacturer rating for maximum all payload.	Anufacturer rating for maximum allowable weight of the configured truck and ayload. Manufacturer rating for maximum allowable weight of the configured payload and loaded trailer.		imum allowable weight of the configured truck v	vith		
3455 lbs 🥑		0 lbs 🥏				

UNITESTA, spol. s r.o. Toužimská 778/B1 , 199 00 Praha 9 , Letňany